

demographic_information.php

```
<?php
```

```
session_start();
```

```
mysql_connect('ephesus.cs.cf.ac.uk', 'c1018921', '#');
```

```
mysql_select_db('c1018921');
```

```
if (isset($_POST['submit'])) {
```

```
    $data = array(
```

```
        'gender'      => $_POST['gender'],
```

```
        'age'          => $_POST['age'],
```

```
        'ethnic_origin' => $_POST['ethnic_origin'],
```

```
        'nationality'  => $_POST['nationality'],
```

```
        'language'     => $_POST['language'],
```

```
        'education'    => $_POST['education'],
```

```
        'religion'     => $_POST['religion'],
```

```
        'label_1'      => $_POST['label_1'],
```

```
        'label_2'      => $_POST['label_2'],
```

```
        'label_3'      => $_POST['label_3'],
```

```
        'label_4'      => $_POST['label_4'],
```

```
        'label_5'      => $_POST['label_5'],
```

```
    );
```

```
    // Register the user in the users table
```

```
    mysql_query("INSERT INTO `Users` (`gender`, `age`, `ethnic_origin`, `nationality`, `language`, `education`,  
`religion`) VALUES ('{$data['gender']}', '{$data['age']}', '{$data['ethnic_origin']}', '{$data['nationality']}',  
 '{$data['language']}', '{$data['education']}', '{$data['religion']}' );");
```

```
    $_SESSION['user_id'] = mysql_insert_id(); // Returns the value of the primary key from the last query
```

```
    //mysql_query("INSERT INTO `Labels` (`user_id`, `label_1`, `label_2`, `label_3`, `label_4`, `label_5`) VALUES  
('{$user_id}', '{$data['label_1']}', '{$data['label_2']}', '{$data['label_3']}', '{$data['label_4']}', '{$data['label_5']}');");
```

```
    header("Location: http://users.cs.cf.ac.uk/L.Williams/Label_It/image_1");
```

```
} else {
```

```
// $q = mysql_query("SELECT
```

```
Users.gender,Users.age,Users.ethnic_origin,Users.nationality,Users.language,Users.education,Users.religion,Labels.  
* FROM `Users` LEFT JOIN (`Labels`) ON (Users.user_id=Labels.user_id)");
```

```
?>
```

```
<html>
```

```
<head>
```

image_1.php

```
<?php
session_start();

mysql_connect('ephepus.cs.cf.ac.uk', 'c1018921', 'LowriAnn1');

mysql_select_db('c1018921');

if (isset($_POST['submit'])) {

    $data = array(

        'gender'          => $_POST['gender'],
        'age'             => $_POST['age'],
        'ethnic_origin' => $_POST['ethnic_origin'],
        'nationality'     => $_POST['nationality'],
        'language'        => $_POST['language'],
        'education'       => $_POST['education'],
        'religion'        => $_POST['religion'],
        'label_1'         => $_POST['label_1'],
        'label_2'         => $_POST['label_2'],
        'label_3'         => $_POST['label_3'],
        'label_4'         => $_POST['label_4'],
        'label_5'         => $_POST['label_5'],
        'image_id'        => $_POST['image_id'],

    );

    $user_id = $_SESSION['user_id'];

    if (empty($data["label_1"])) {

        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';

    }

    if (empty($data["label_2"])) {

        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';

    }

    if (empty($data["label_3"])) {

        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';

    }

    if (empty($data["label_4"])) {
```

```

        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_5"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    else {
        mysql_query("INSERT INTO `Labels` (`user_id`, `label_1`, `label_2`, `label_3`, `label_4`, `label_5`,
`image_id`) VALUES ('{$user_id}', '{$data['label_1']}', '{$data['label_2']}', '{$data['label_3']}', '{$data['label_4']}',
 '{$data['label_5']}', '{$data['image_id']}');");

        header('Location: http://users.cs.cf.ac.uk/L.Williams/Label_It/image_2');
    }

}

// $q = mysql_query("SELECT
Users.gender,Users.age,Users.ethnic_origin,Users.nationality,Users.language,Users.education,Users.religion,Image.i
mage_id,Labels.* FROM `Users` LEFT JOIN (`Labels`) ON (Users.user_id=Labels.user_id)");

?>

<html>

<head>

<title>Label It</title>

<link rel="stylesheet" type="text/css" href="http://users.cs.cf.ac.uk/L.Williams/Label_It/Style.css"/>

<style type="text/css">

    .image {

        width: 440px;

        float: left;

        position: static;

    }

    .labels {

        width: 200px;

        float: left;

    }

    .container_image {

        margin: 120px;

```

```
position: static;

width: 650px;

background-color: white;

font-family: Arial;

font-size: 10pt;

padding: 10px;

}
```

```
.clear { clear: both; }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form action="<?php echo $_SERVER['php_self']; ?>" method="post">
```

```
<div id="main" class="container_image">
```

```
<div class="image">
```

```
<label>What do you see?</label>
```

```

```

```
</div>
```

```
<div class="labels">
```

```
<label>Name 5 things that you can see within the image.</label>
```

```
<p>
```

```
<input type="text" name="label_1" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_2" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_3" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_4" value="" />
```

```
</p>
```

<p>

<input type="text" name="label_5" value="" />

</p>

<p>

<input type="hidden" name="image_id" value="1" />

</p>

<p>

<button id="next" input type="submit" name="submit">Next</button>

</p>

</div>

<div class="clear"></div>

</div>

</form>

</body>

</html>

image_2.php

```
<?php
session_start();

mysql_connect('ephehus.cs.cf.ac.uk', 'c1018921', '#');
mysql_select_db('c1018921');

if (isset($_POST['submit'])) {

    $data = array(
        'gender'      => $_POST['gender'],
        'age'         => $_POST['age'],
        'ethnic_origin' => $_POST['ethnic_origin'],
        'nationality'  => $_POST['nationality'],
        'language'     => $_POST['language'],
        'education'    => $_POST['education'],
        'religion'     => $_POST['religion'],
        'label_1'      => $_POST['label_1'],
        'label_2'      => $_POST['label_2'],
        'label_3'      => $_POST['label_3'],
        'label_4'      => $_POST['label_4'],
        'label_5'      => $_POST['label_5'],
        'image_id'     => $_POST['image_id'],
    );

    $user_id = $_SESSION['user_id'];

    if (empty($data["label_1"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_2"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_3"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }
}
```

```

if (empty($data["label_4"])) {
    echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
}

if (empty($data["label_5"])) {
    echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
}

else {
    mysql_query("INSERT INTO `Labels` (`user_id`, `label_1`, `label_2`, `label_3`, `label_4`, `label_5`,
`image_id`) VALUES ('{$user_id}', '{$data['label_1']}', '{$data['label_2']}', '{$data['label_3']}', '{$data['label_4']}',
 '{$data['label_5']}', '{$data['image_id']}')");

    header('Location: http://users.cs.cf.ac.uk/L.Williams/Label_It/image_3');
}

}

// $q = mysql_query("SELECT
Users.gender,Users.age,Users.ethnic_origin,Users.nationality,Users.language,Users.education,Users.religion,Image.i
mage_id,Labels.* FROM `Users` LEFT JOIN (`Labels`) ON (Users.user_id=Labels.user_id)");

?>

<html>

<head>

<title>Label It</title>

<link rel="stylesheet" type="text/css" href="http://users.cs.cf.ac.uk/L.Williams/Label_It/Style.css"/>

<style type="text/css">

.image {

    width: 440px;

    float: left;

    position: static;

}

.labels {

    width: 200px;

    float: left;

}

```

```
.container_image {  
    margin: 120px;  
    position: static;  
    width: 650px;  
    background-color: white;  
    font-family: Arial;  
    font-size: 10pt;  
    padding: 10px;  
}
```

```
.clear { clear: both; }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form action="<?php echo $_SERVER['php_self']; ?>" method="post">
```

```
<div id="main" class="container_image">
```

```
<div class="image">
```

```

```

```
</div>
```

```
<div class="labels">
```

```
<label>Name 5 things that you can see within the image.</label>
```

```
<p>
```

```
<input type="text" name="label_1" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_2" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_3" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_4" value="" />
```


</p>

<p>

<input type="text" name="label_5" value="" />

</p>

<p>

<input type="hidden" name="image_id" value="2" />

</p>

<p>

<button id="next" input type="submit" name="submit">Next</button>

</p>

</div>

<div class="clear"></div>

</div>

</form>

</body>

</html>

image_3.php

```
<?php
session_start();

mysql_connect('ephehus.cs.cf.ac.uk', 'c1018921', '#');
mysql_select_db('c1018921');

if (isset($_POST['submit'])) {

    $data = array(
        'gender'      => $_POST['gender'],
        'age'         => $_POST['age'],
        'ethnic_origin' => $_POST['ethnic_origin'],
        'nationality'  => $_POST['nationality'],
        'language'     => $_POST['language'],
        'education'    => $_POST['education'],
        'religion'     => $_POST['religion'],
        'label_1'      => $_POST['label_1'],
        'label_2'      => $_POST['label_2'],
        'label_3'      => $_POST['label_3'],
        'label_4'      => $_POST['label_4'],
        'label_5'      => $_POST['label_5'],
        'image_id'     => $_POST['image_id'],
    );

    $user_id = $_SESSION['user_id'];

    if (empty($data["label_1"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_2"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_3"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }
}
```

```

if (empty($data["label_4"])) {
    echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
}

if (empty($data["label_5"])) {
    echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
}

else {
    mysql_query("INSERT INTO `Labels` (`user_id`, `label_1`, `label_2`, `label_3`, `label_4`, `label_5`,
`image_id`) VALUES ('{$user_id}', '{$data['label_1']}', '{$data['label_2']}', '{$data['label_3']}', '{$data['label_4']}',
 '{$data['label_5']}', '{$data['image_id']}')");

    header('Location: http://users.cs.cf.ac.uk/L.Williams/Label_It/image_4');
}

}

// $q = mysql_query("SELECT
Users.gender,Users.age,Users.ethnic_origin,Users.nationality,Users.language,Users.education,Users.religion,Image.i
mage_id,Labels.* FROM `Users` LEFT JOIN (`Labels`) ON (Users.user_id=Labels.user_id)");

?>

<html>

<head>

<title>Label It</title>

<link rel="stylesheet" type="text/css" href="http://users.cs.cf.ac.uk/L.Williams/Label_It/Style.css"/>

<style type="text/css">

.image {

    width: 440px;

    float: left;

    position: static;

}

.labels {

    width: 200px;

    float: left;

}

```

```
.container_image {  
    margin: 120px;  
    position: static;  
    width: 650px;  
    background-color: white;  
    font-family: Arial;  
    font-size: 10pt;  
    padding: 10px;  
}
```

```
.clear { clear: both; }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form action="<?php echo $_SERVER['php_self']; ?>" method="post">
```

```
<div id="main" class="container_image">
```

```
<div class="image">
```

```
<label>What do you see?</label>
```

```

```

```
</div>
```

```
<div class="labels">
```

```
<label>Name 5 things that you can see within the image.</label>
```

```
<p>
```

```
<input type="text" name="label_1" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_2" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_3" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_4" value="" />
```

</p>

<p>

<input type="text" name="label_5" value="" />

</p>

<p>

<input type="hidden" name="image_id" value="3" />

</p>

<p>

<button id="next" input type="submit" name="submit">Next</button>

</p>

</div>

<div class="clear"></div>

</div>

</form>

</body>

</html>

image_4.php

```
<?php
session_start();

mysql_connect('ephehus.cs.cf.ac.uk', 'c1018921', 'LowriAnn1');
mysql_select_db('c1018921');

if (isset($_POST['submit'])) {

    $data = array(
        'gender'      => $_POST['gender'],
        'age'         => $_POST['age'],
        'ethnic_origin' => $_POST['ethnic_origin'],
        'nationality'  => $_POST['nationality'],
        'language'     => $_POST['language'],
        'education'    => $_POST['education'],
        'religion'     => $_POST['religion'],
        'label_1'      => $_POST['label_1'],
        'label_2'      => $_POST['label_2'],
        'label_3'      => $_POST['label_3'],
        'label_4'      => $_POST['label_4'],
        'label_5'      => $_POST['label_5'],
        'image_id'     => $_POST['image_id'],
    );

    $user_id = $_SESSION['user_id'];

    if (empty($data["label_1"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_2"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_3"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }
}
```

```

if (empty($data["label_4"])) {
    echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
}

if (empty($data["label_5"])) {
    echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
}

else {
    mysql_query("INSERT INTO `Labels` (`user_id`, `label_1`, `label_2`, `label_3`, `label_4`, `label_5`,
`image_id`) VALUES ('{$user_id}', '{$data['label_1']}', '{$data['label_2']}', '{$data['label_3']}', '{$data['label_4']}',
 '{$data['label_5']}', '{$data['image_id']}')");

    header('Location: http://users.cs.cf.ac.uk/L.Williams/Label_It/image_5');
}

}

//$q = mysql_query("SELECT
Users.gender,Users.age,Users.ethnic_origin,Users.nationality,Users.language,Users.education,Users.religion,Image.i
mage_id,Labels.* FROM `Users` LEFT JOIN (`Labels`) ON (Users.user_id=Labels.user_id)");

?>

<html>

<head>

<title>Label It</title>

<link rel="stylesheet" type="text/css" href="http://users.cs.cf.ac.uk/L.Williams/Label_It/Style.css"/>

<style type="text/css">

.image {

    width: 440px;

    float: left;

    position: static;

}

.labels {

    width: 200px;

    float: left;

}

```

```
.container_image {  
    margin: 120px;  
    position: static;  
    width: 650px;  
    background-color: white;  
    font-family: Arial;  
    font-size: 10pt;  
    padding: 10px;  
}
```

```
.clear { clear: both; }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form action="<?php echo $_SERVER['php_self']; ?>" method="post">
```

```
<div id="main" class="container_image">
```

```
<div class="image">
```

```
<label>What do you see?</label>
```

```

```

```
</div>
```

```
<div class="labels">
```

```
<label>Name 5 things that you can see within the image.</label>
```

```
<p>
```

```
<input type="text" name="label_1" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_2" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_3" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_4" value="" />
```


</p>

<p>

<input type="text" name="label_5" value="" />

</p>

<p>

<input type="hidden" name="image_id" value="4" />

</p>

<p>

<button id="next" input type="submit" name="submit">Next</button>

</p>

</div>

<div class="clear"></div>

</div>

</form>

</body>

</html>

image_5.php

```
<?php
session_start();

mysql_connect('ephehus.cs.cf.ac.uk', 'c1018921', '#');
mysql_select_db('c1018921');

if (isset($_POST['submit'])) {

    $data = array(
        'gender'      => $_POST['gender'],
        'age'         => $_POST['age'],
        'ethnic_origin' => $_POST['ethnic_origin'],
        'nationality' => $_POST['nationality'],
        'language'     => $_POST['language'],
        'education'    => $_POST['education'],
        'religion'     => $_POST['religion'],
        'label_1'      => $_POST['label_1'],
        'label_2'      => $_POST['label_2'],
        'label_3'      => $_POST['label_3'],
        'label_4'      => $_POST['label_4'],
        'label_5'      => $_POST['label_5'],
        'image_id'     => $_POST['image_id'],
    );

    $user_id = $_SESSION['user_id'];

    if (empty($data["label_1"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_2"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }

    if (empty($data["label_3"])) {
        echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
    }
}
```

```

if (empty($data["label_4"])) {
    echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
}

if (empty($data["label_5"])) {
    echo '<script type="text/javascript">alert("Please enter ALL labels.");</script>';
}

else {
    mysql_query("INSERT INTO `Labels` (`user_id`, `label_1`, `label_2`, `label_3`, `label_4`, `label_5`,
`image_id`) VALUES ('{$user_id}', '{$data['label_1']}', '{$data['label_2']}', '{$data['label_3']}', '{$data['label_4']}',
 '{$data['label_5']}', '{$data['image_id']}')");

    header('Location: http://users.cs.cf.ac.uk/L.Williams/Label_It/Thank_you');
}

}

// $q = mysql_query("SELECT
Users.gender,Users.age,Users.ethnic_origin,Users.nationality,Users.language,Users.education,Users.religion,Image.i
mage_id,Labels.* FROM `Users` LEFT JOIN (`Labels`) ON (Users.user_id=Labels.user_id)");

?>

<html>

<head>

<title>Label It</title>

<link rel="stylesheet" type="text/css" href="http://users.cs.cf.ac.uk/L.Williams/Label_It/Style.css"/>

<style type="text/css">

.image {

    width: 440px;

    float: left;

    position: static;

}

.labels {

    width: 200px;

    float: left;

}

```

```
.container_image {  
    margin: 120px;  
    position: static;  
    width: 650px;  
    background-color: white;  
    font-family: Arial;  
    font-size: 10pt;  
    padding: 10px;  
}
```

```
.clear { clear: both; }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form action="<?php echo $_SERVER['php_self']; ?>" method="post">
```

```
<div id="main" class="container_image">
```

```
<div class="image">
```

```
<label>What do you see?</label>
```

```

```

```
</div>
```

```
<div class="labels">
```

```
<label>Name 5 things that you can see within the image.</label>
```

```
<p>
```

```
<input type="text" name="label_1" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_2" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_3" value="" />
```

```
</p>
```

```
<p>
```

```
<input type="text" name="label_4" value="" />
```

</p>

<p>

<input type="text" name="label_5" value="" />

</p>

<p>

<input type="hidden" name="image_id" value="5" />

</p>

<p>

<button id="next" input type="submit" name="submit">Next</button>

</p>

</div>

<div class="clear"></div>

</div>

</form>

</body>

</html>